

eShelf[®] DPF13

13" Digital Photo Frame (LUXX-DPF13-500)




Engaging shelf signage.



The 13" Digital Photo Frame is a sleek, high-definition display designed for 24/7 operation, making it perfect for continuous use in retail, hospitality, and other commercial settings. This stand-alone unit supports independent playback, allowing you to effortlessly display content without needing a network connection. Ideal for digital signage applications that require clear, eye-catching visuals in compact spaces.

Whether you're showcasing promotions, menus, or product information, this durable and energy-efficient display delivers sharp, vibrant content around the clock.

Vibrant



Our high-definition LCD display delivers crystal-clear visuals with vibrant colors and sharp details, ensuring your content stands out with stunning clarity.

Convenient



This stand-alone unit offers hassle-free operation, allowing you to play content directly without the need for a network or external connections.

Reliable



Supports 24/7 continuous operation, ensuring your content stays visible and engaging around the clock.

Let your message stand out

With a vibrant digital display.



Display

Size	13"
Dimension	317 x 219 x 26mm
Active area	285(H) x 178(V) mm
Resolution	1920 x 1080
Backlight	LED
Brightness (nits)	500cd/m ²
Lifespan	30000 hours
Viewing angle	Full Viewing Angle
Aspect Ratio	16:9
Product color	Black / White

Interface & Systems

Memory	No memory, need SD card/U disk (Built-in memory on request)
Nor flash	16MB
Memory extension	32GB SD memory card Max
Interface	1*Mini USB (OTG), 1*SD Card, 1*USB Host 2.0, 1*AV Output, 1*Power Input. Must match with our special adapter for power supply
Built-in speakers	16Ω2w*2
Operation	Infrared remote control, 7 Key button control
Language	English, Chinese (More options on request - French, German, Spanish, Italian, Portuguese, Dutch and Polish ect.)

Accessories

Standard	Remote Control, Stents, Instructions
----------	--------------------------------------

Packing Info

G.W	1.2KG
Packing Dimension (10 Pcs/CTN)	670 x 345 x 335mm
G.W. (10 Pcs/CTN)	13KG

Power Input

Voltage	DC 12V
Current	1000mA

Environment

Working environment	Temperature: 0°C ~ 50°C Humidity: 10% ~ 85% Atmospheric Pressure: 86KPa ~ 104KPa
Storage environment	Temperature: -20°C ~ 60°C Humidity: 5% ~ 95% Atmospheric Pressure: 86kPa ~ 104kPa

Supported Media Formats

- Audio - MP3, MP2, MP1, WMA, OGG, APE, FLAC, AC3, RA, AAC...
- Video - AVI, VOB, DAT, MP4, RM, RMVB, MKV, MOV, M4v, MPG, FLV, PMP, 3GP...
- Picture - JPG, JPEG

Warranty

Year	1Y (more options on request)
------	------------------------------

Note: LCD screens, including Digital Photo Frame, may experience image retention or burn-in without effective content management.

What is Image Retention?

Image retention refers to any image that "sticks" on a screen, even when the content changes. It usually appears as a faint ghost that fades after a moment.

What is Image Burn-In?

Burn-in is a form of image retention that lasts much longer. It is a visible mark that remains, no matter what you are watching or doing.

Causes of Burn-In

- Videos that have a static logo, such as product logos, can leave a burn-in if displayed for a prolonged period
- Pausing a video and leaving the Digital Photo Frame on for prolonged periods

Avoiding Burn-In

To prevent Digital Photo Frame burn-in,

- **AVOID** displaying static images or videos that have a static logo on Digital Photo Frame
- **ALWAYS** incorporate dynamic content to maintain Digital Photo Frame's quality over time.

13" Digital Photo Frame



Operation - 7 Buttons



Back

Next

Volume Up



Menu

Previous

Volume Down

Play/Pause

Technical Data

